#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: High-grade lime filler No. 342
- · Article number: 342
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. • Application of the substance / the mixture Sealing mortar
- 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: AURO AG Alte Frankfurter Str. 211 D-38122 Braunschweig nieder@auro.de

- · Further information obtainable from: product safety department
- · 1.4 Emergency telephone number: During normal opening times: +49 531 281 41 19

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008
- Skin Corr. 1A H314 Causes severe skin burns and eye damage.

#### · 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. • Hazard pictograms



· Signal word Danger

 $\cdot$  Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read label before use.
- P260 Do not breathe dusts or mists.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · *PBT*: Not applicable.
- · vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

| • Dangerous components: |
|-------------------------|
|-------------------------|

| Dungerous components.               |                     |                    |            |         |
|-------------------------------------|---------------------|--------------------|------------|---------|
| CAS: 1305-62-0<br>EINECS: 215-137-3 | calcium dihydroxide | ♦ Eye Dam. 1, H318 | 25         | 5-50%   |
|                                     |                     |                    | (Contd. on | page 2) |

Printing date 11.04.2018

Trade name: High-grade lime filler No. 342

|   | (Contd. of page 1)  |           |   |       |  |
|---|---|-----------|---|-------|--|
|   | CAS: 1332-58-7  | Kaolin    | substance with a Community workplace exposure limit | 1-10% |  |
|   | EC number: 310-194-1  |           |   |       |  |
|   | CAS: 9004-34-6  | Cellulose | substance with a Community workplace exposure limit | 1-10% |  |
|   | EINECS: 232-674-9   |           |   |       |  |
| 1 | • Additional information: For the wording of the listed hazard phrases refer to section 16. |           |   |       |  |

**SECTION 4: First aid measures** 

- 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling Thorough dedusting.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 3)

Printing date 11.04.2018

Trade name: High-grade lime filler No. 342

Revision: 11.04.2018

(Contd. of page 2)

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

## 1305-62-0 calcium dihydroxide

WEL Long-term value: 5 mg/m<sup>3</sup>

### 1332-58-7 Kaolin

WEL Long-term value: 2 mg/m<sup>3</sup>

### 9004-34-6 Cellulose

WEL Short-term value: 20\* mg/m<sup>3</sup> Long-term value: 10\* 4\*\* mg/m<sup>3</sup> \*inhalable dust \*\*respirable

· Additional information: The lists valid during the making were used as basis.

### · 8.2 Exposure controls

· Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.  $\cdot$  *Eye protection:* 



Tightly sealed goggles

## **SECTION 9: Physical and chemical properties**

### $\cdot$ 9.1 Information on basic physical and chemical properties

| · General Information         |                 |
|-------------------------------|-----------------|
| · Appearance:                 |                 |
| Form:                         | Powder          |
| Colour:                       | White           |
| · Odour:                      | Characteristic  |
| · Odour threshold:            | Not determined. |
| · pH-value at 20 °C:          | 12              |
| · Change in condition         |                 |
| Melting point/freezing point: | Undetermined.   |
|                               |                 |

(Contd. on page 4)

GB

Printing date 11.04.2018

Revision: 11.04.2018

Trade name: High-grade lime filler No. 342

|   | (Contd. of page  |
|---|--|
| Initial boiling point and boiling range                                     | 2: Undetermined.   |
| Flash point:  | Not applicable.  |
| Flammability (solid, gas):  | Not determined.  |
| Ignition temperature:   |  |
| Decomposition temperature:  | Not determined.  |
| Auto-ignition temperature:  | Product is not selfigniting.   |
| Explosive properties:   | Product does not present an explosion hazard.                                |
| Explosion limits:<br>Lower:<br>Upper:                                       | Not determined.<br>Not determined.   |
| Vapour pressure:  | Not applicable.  |
| Density at 20 °C:<br>Relative density<br>Vapour density<br>Evaporation rate | 1 g/cm <sup>3</sup><br>Not determined.<br>Not applicable.<br>Not applicable. |
| Solubility in / Miscibility with water:                                     | Soluble.   |
| Partition coefficient: n-octanol/water:                                     | Not determined.  |
| Viscosity:<br>Dynamic:<br>Kinematic:<br>VOC (EC)                            | Not applicable.<br>Not applicable.<br>0.0 g/l                                |
| 9.2 Other information   | No further relevant information available.                                   |

#### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

- · Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation
- Causes severe skin burns and eye damage.

· Serious eye damage/irritation

- Causes severe skin burns and eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- $\cdot$  Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- $\cdot$  STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.

Printing date 11.04.2018

Revision: 11.04.2018

Trade name: High-grade lime filler No. 342

(Contd. of page 4)

· Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · *vPvB*: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

08 01 20 aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19

20 01 28 paint, inks, adhesives and resins other than those mentioned in 20 01 27

· Uncleaned packaging:

- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

#### **SECTION 14: Transport information**

| 1 V   |  |                    |
|---|--|--------------------|
| · <b>14.1 UN-Number</b><br>· ADR, ADN, IMDG, IATA               | Void                                   |                    |
| · <b>14.2</b> UN proper shipping name<br>· ADR, ADN, IMDG, IATA | Void                                   |                    |
| · 14.3 Transport hazard class(es)                               |  |                    |
| · ADR, ADN, IMDG, IATA<br>· Class                               | Void                                   |                    |
| • <b>14.4 Packing group</b><br>• ADR, IMDG, IATA                | Void                                   |                    |
| • <b>14.5 Environmental hazards:</b><br>• Marine pollutant:     | No                                     |                    |
| · 14.6 Special precautions for user                             | Not applicable.                        |                    |
| 14.7 Transport in bulk according to Annex II of the IBC Code    | <i>f Marpol and</i><br>Not applicable. |                    |
|   |  | (Contd. on page 6) |

Printing date 11.04.2018

Revision: 11.04.2018

(Contd. of page 5)

Trade name: High-grade lime filler No. 342

· UN "Model Regulation":

Void

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H318 Causes serious eye damage.

- · Department issuing SDS: product safety department
- · Contact: N.N.
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

- ICAO: International Civil Aviation Organisation
- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Skin Corr. 1A: Skin corrosion/irritation Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1